

DISCHARGE MONITORING REPORT (DMR)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME: ATLANTA GOLD CORPORATION OF AMERICA INC

ADDRESS: 2417 BANK DRIVE, SUITE 101
BOISE, ID 83705

FACILITY: ATLANTA GOLD CORPORATION OF AMERICA INC

LOCATION: 1.5 MILES SOUTH OF ATLANTA
ATLANTA, ID 83601

ATTN: Wm. ERNEST SIMMONS, PRESIDENT

IDG910006	001-A
PERMIT NUMBER	DISCHARGE NUMBER
MONITORING PERIOD	
MM/DD/YYYY	MM/DD/YYYY
03/01/2013	03/31/2013

DMR Mailing ZIP CODE: 83705

MINOR

(SUBR 02)

DISCHARGE FROM 900 LEVEL ADIT TO MONTEZU

External Outfall

No Discharge ☐

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS			
Temperature, water deg. centigrade	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	6.2			Weekly	GRAB
00010 1 0 Effluent Gross	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	19 DAILY MX	deg C		Weekly	GRAB
Temperature, water deg. centigrade	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	3.7			Monthly	GRAB
00010 5 0 Upstream Monitoring	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	Req. Mon. DAILY MX	deg C		Monthly	GRAB
Temperature, water deg. centigrade	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	3.8			Monthly	GRAB
00010 6 0 Downstream Monitoring	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	Req. Mon. DAILY MX	deg C		Monthly	GRAB
pH	SAMPLE MEASUREMENT	*****	*****	*****	7.5	*****	8			Weekly	GRAB
00400 1 0 Effluent Gross	PERMIT REQUIREMENT	*****	*****	*****	6.5 INST MIN	*****	9 INST MAX	SU		Weekly	GRAB
Solids, total suspended	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	3			Weekly	GRAB
00530 1 0 Effluent Gross	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	30 DAILY MX	mg/L		Weekly	GRAB
Arsenic, total recoverable	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	21		4	Weekly	GRAB
00978 1 0 Effluent Gross	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	10 DAILY MX	ug/L		Weekly	GRAB
Arsenic, total recoverable	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	34			Monthly	GRAB
00978 5 0 Upstream Monitoring	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	Req. Mon. DAILY MX	ug/L		Monthly	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	TELEPHONE		DATE
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		AREA Code
				MM/DD/YYYY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

A MAXIMUM TEMPERATURE LIMIT OF 9 DEGREE C APPLIES TO THE DISCHARGE DURING PERIODS OF SALMONID SPAWNING

DISCHARGE MONITORING REPORT (DMR)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME: ATLANTA GOLD CORPORATION OF AMERICA INC
ADDRESS: 2417 BANK DRIVE, SUITE 101
 BOISE, ID 83705

FACILITY: ATLANTA GOLD CORPORATION OF AMERICA INC
LOCATION: 1.5 MILES SOUTH OF ATLANTA
 ATLANTA, ID 83601

ATTN: Wm. ERNEST SIMMONS, PRESIDENT

IDG910006	001-A
PERMIT NUMBER	DISCHARGE NUMBER
MONITORING PERIOD	
MM/DD/YYYY	MM/DD/YYYY
03/01/2013	03/31/2013

DMR Mailing ZIP CODE: 83705
 MINOR
 (SUBR 02)
 DISCHARGE FROM 900 LEVEL ADIT TO MONTEZUMA
 External Outfall

No Discharge ☐

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS			
Arsenic, total recoverable	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	32			Monthly	GRAB
00978 6 0 Downstream Monitoring	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	Req. Mon. DAILY MX	ug/L		Monthly	GRAB
Iron, total recoverable	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	210			Weekly	GRAB
00980 1 0 Effluent Gross	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	1000 DAILY MX	ug/L		Weekly	GRAB
Flow	SAMPLE MEASUREMENT	52992	52992		*****	*****	*****	*****		Continuous	RCORDR
74076 1 0 Effluent Gross	PERMIT REQUIREMENT	Req. Mon. MO AVG	Req. Mon. DAILY MX	gal/d	*****	*****	*****	*****		Continuous	RECORD

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	TELEPHONE		DATE
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA Code	NUMBER

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

A MAXIMUM TEMPERATURE LIMIT OF 9 DEGREE C APPLIES TO THE DISCHARGE DURING PERIODS OF SALMONID SPAWNING

DISCHARGE MONITORING REPORT (DMR)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME: ATLANTA GOLD CORPORATION OF AMERICA INC

ADDRESS: 2417 BANK DRIVE, SUITE 101
BOISE, ID 83705

FACILITY: ATLANTA GOLD CORPORATION OF AMERICA INC

LOCATION: 1.5 MILES SOUTH OF ATLANTA
ATLANTA, ID 83601

ATTN: Wm. ERNEST SIMMONS, PRESIDENT

IDG910006	001-A
PERMIT NUMBER	DISCHARGE NUMBER
MONITORING PERIOD	
MM/DD/YYYY	MM/DD/YYYY
04/01/2013	04/30/2013

DMR Mailing ZIP CODE: 83705

MINOR

(SUBR 02)

DISCHARGE FROM 900 LEVEL ADIT TO MONTEZI

External Outfall

No Discharge ☐

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS			
Temperature, water deg. centigrade	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	10.9			Weekly	GRAB
00010 1 0 Effluent Gross	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	19 DAILY MX	deg C		Weekly	GRAB
Temperature, water deg. centigrade	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	5.3			Monthly	GRAB
00010 5 0 Upstream Monitoring	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	Req. Mon. DAILY MX	deg C		Monthly	GRAB
Temperature, water deg. centigrade	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	5.2			Monthly	GRAB
00010 6 0 Downstream Monitoring	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	Req. Mon. DAILY MX	deg C		Monthly	GRAB
pH	SAMPLE MEASUREMENT	*****	*****	*****	7.2	*****	7.7			Weekly	GRAB
00400 1 0 Effluent Gross	PERMIT REQUIREMENT	*****	*****	*****	6.5 INST MIN	*****	9 INST MAX	SU		Weekly	GRAB
Solids, total suspended	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	11			Weekly	GRAB
00530 1 0 Effluent Gross	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	30 DAILY MX	mg/L		Weekly	GRAB
Arsenic, total recoverable	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	12		2	Weekly	GRAB
00978 1 0 Effluent Gross	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	10 DAILY MX	ug/L		Weekly	GRAB
Arsenic, total recoverable	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	21			Monthly	GRAB
00978 5 0 Upstream Monitoring	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	Req. Mon. DAILY MX	ug/L		Monthly	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	TELEPHONE		DATE
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		AREA Code
				MM/DD/YYYY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

A MAXIMUM TEMPERATURE LIMIT OF 9 DEGREE C APPLIES TO THE DISCHARGE DURING PERIODS OF SALMONID SPAWNING

DISCHARGE MONITORING REPORT (DMR)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME: ATLANTA GOLD CORPORATION OF AMERICA INC
ADDRESS: 2417 BANK DRIVE, SUITE 101
 BOISE, ID 83705

FACILITY: ATLANTA GOLD CORPORATION OF AMERICA INC
LOCATION: 1.5 MILES SOUTH OF ATLANTA
 ATLANTA, ID 83601

ATTN: Wm. ERNEST SIMMONS, PRESIDENT

IDG910006	001-A
PERMIT NUMBER	DISCHARGE NUMBER
MONITORING PERIOD	
MM/DD/YYYY	MM/DD/YYYY
04/01/2013	04/30/2013

DMR Mailing ZIP CODE: 83705
 MINOR
 (SUBR 02)
 DISCHARGE FROM 900 LEVEL ADIT TO MONTEZUMA
 External Outfall

No Discharge ☐

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS			
Arsenic, total recoverable	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	68			Monthly	GRAB
00978 6 0 Downstream Monitoring	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	Req. Mon. DAILY MX	ug/L		Monthly	GRAB
Iron, total recoverable	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	80			Weekly	GRAB
00980 1 0 Effluent Gross	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	1000 DAILY MX	ug/L		Weekly	GRAB
Flow	SAMPLE MEASUREMENT	40326	52992		*****	*****	*****	*****		Continuous	RCORDR
74076 1 0 Effluent Gross	PERMIT REQUIREMENT	Req. Mon. MO AVG	Req. Mon. DAILY MX	gal/d	*****	*****	*****	*****		Continuous	RECORD

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	TELEPHONE		DATE
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA Code	NUMBER

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

A MAXIMUM TEMPERATURE LIMIT OF 9 DEGREE C APPLIES TO THE DISCHARGE DURING PERIODS OF SALMONID SPAWNING